


# Camp T. Brady Saunders Compass Course

Contribution by Troop 893

February to June, 2007



# Locations of Markers

1. Corner of Administration Building closest to lake
2. Along main access road across from campfire circle
3. Near totem pole
4. Near bulletin board between road and Lake Dillon
5. In raised planting box between Administration building and Eagle
6. Right side of Dining Hall near large tree
7. Near tree closest to top row of campfire ring seating
8. Along main road near parking sign across from Administration building
9. Along main road beyond, but on the same side as, the campfire circle
10. Near gate in front of Administration building
11. Near large tree in front of Dining Hall
12. At Eagle which is near Administration building

# Walking distance between Markers

<b>Start – End</b>	<b>Distance in Feet</b>
1 – 2	840
2 – 3	460
3 – 4	432
4 – 5	229
5 – 6	797
6 – 7	930 (estimated - across lake)
7 – 8	611
8 – 9	743
9 – 10	738
10 – 11	944
11 – 12	806

# Bearings to next Marker (Magnetic)

From - To	Bearing
1 - 2	356
2 - 3	188
3 - 4	129
4 - 5	228
5 - 6	87
6 - 7	308
7 - 8	203
8 - 9	12
9 - 10	186
10 - 11	89
11 - 12	262
12 - 1	318
1 - 2	358*

\* This value varies from initial bearing due to rounding errors.

# Camp Brady Saunders Orienteering Course – Route 1

Start at # 1 (Corner of Administration Building Closest to Lake)

Marker #	Bearing*	Distance
1	356	840




\* Magnetic

# Camp Brady Saunders Orienteering Course – Route 2

Start at # 5 (Raised planting box between Administration building and Eagle)

Marker #	Bearing*	Distance
5	87	797

\* Magnetic



**Camp Brady Saunders Orienteering Course – Route 1**  
**Start at # 1 (Corner of Administration Building Closest to Lake)**

**KEY – Do not  
 Distribute!**

Marker #	Bearing*	Distance
1	356	840
2	188	460
3	129	432
4	228	229
5	87	797
6	308	930
7	203	611
8	12	743
9	186	738
10	89	944
11	262	806
12		

\* Magnetic



# Camp Brady Saunders Orienteering Course – Route 2

Start at # 5 (Raised planting box between Administration building and Eagle)

**KEY – Do not  
Distribute!**

Marker #	Bearing*	Distance
5	87	797
6	308	930
7	203	611
8	12	743
9	186	738
10	89	944
11	262	806
12	318	
1	356	840
2	188	460
3	129	432
4		



\* Magnetic